

**UTILITY  
PATENT APPLICATION  
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	P19597	Total Pages	
Inventor(s) or Application Identifier Tetsuji SHONO			
Title: DIGITAL CAMERA HAVING A TILTING/SWINGING MECHANISM			

P ADDRESS TO:

Assistant Commissioner for Patents  
Box Patent Application  
Washington, DC 20231

U.S. PATENT & TRADEMARK OFFICE  
PTO-891 (07-06-2006)

APPLICATION ELEMENTS	ACCOMPANYING APPLICATION PARTS
<p>1. <input checked="" type="checkbox"/> Fee Transmittal Form</p> <p>2. <input checked="" type="checkbox"/> Specification [Total Pages <u>14</u>] (preferred arrangement set forth below)</p> <ul style="list-style-type: none"> <li>- Descriptive title of the Invention</li> <li>- Cross References to Related Applications</li> <li>- Statement Regarding Fed sponsored R &amp; D</li> <li>- Reference to Microfiche Appendix</li> <li>- Background of the Invention</li> <li>- Brief Summary of the Invention</li> <li>- Brief Description of the Drawings (if filed)</li> <li>- Detailed Description</li> <li>- Claim(s)</li> <li>- Abstract of the Disclosure</li> </ul> <p>3. <input checked="" type="checkbox"/> Drawing(s) (35 USC 113) [Total Sheets <u>2</u>]</p> <p>4. <input checked="" type="checkbox"/> Oath or Declaration [Total Pages <u>3</u>]</p> <p>a. <input checked="" type="checkbox"/> Newly executed (original or copy) <input type="checkbox"/> Unexecuted</p> <p>b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 18 completed) [Note Box 5 below]</p> <p>i. <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).</p> <p>5. <input type="checkbox"/> Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.</p> <p>6. <input type="checkbox"/> Microfiche Computer Program (Appendix)</p> <p>7. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)</p> <p>a. <input type="checkbox"/> Computer Readable Copy</p> <p>b. <input type="checkbox"/> Paper Copy</p> <p>c. <input type="checkbox"/> Statement verifying identity of above copies</p>	<p>8. <input checked="" type="checkbox"/> Assignment Papers (cover sheet &amp; document(s))</p> <p>9. <input type="checkbox"/> 37 CFR 3.73(b) Statement <input type="checkbox"/> Power of Attorney (when there is an assignee)</p> <p>10. <input type="checkbox"/> English Translation Document (if applicable)</p> <p>11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations</p> <p>12. <input type="checkbox"/> Preliminary Amendment</p> <p>13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)</p> <p>14. <input type="checkbox"/> Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired</p> <p>15. <input type="checkbox"/> The prior application is assigned of record to _____.</p> <p>16. <input checked="" type="checkbox"/> Foreign priority claimed</p> <p>a. <input checked="" type="checkbox"/> Claim of Priority</p> <p>b. <input checked="" type="checkbox"/> Certified Copy of Priority Document(s)</p> <p>17. <input type="checkbox"/> Other: _____ _____ _____ _____ _____ _____ _____</p>
<p>18. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:</p> <p><input type="checkbox"/> Continuation   <input type="checkbox"/> Divisional   <input type="checkbox"/> Continuation-in-part (CIP)   of prior Application No. _____ / _____, filed _____.</p>	
<p>19. <input type="checkbox"/> Amend the specification by inserting before the first line the sentence: This application is a _____ continuation-in-part, _____ continuation, _____ division, of Application No. _____ / _____, filed _____.</p>	

Address all future correspondence to **Customer No. 7055** at the present address of:  
**GREENBLUM & BERNSTEIN, P.L.C.**

1941 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

*9/20/00*

Date

*Leslie J. Pappas* *Reg 10*  
Signature *33,329*

Bruce H. Bernstein, Reg No. 29,027  
Typed or Printed Name

## FEE TRANSMITTAL

Complete if Known

Application Number	Not Yet Assigned
Filing Date	Concurrently Herewith
First Named Inventor	T. SHONO
Group Art Unit	Unknown
Examiner Name	Unknown

TOTAL AMOUNT OF PAYMENT (\$730.00)

Attorney Docket Number P19597

## METHOD OF PAYMENT (check one)

## FEE CALCULATION (continued)

1.  The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number 19-0089

Deposit Account Name GREENBLUM &amp; BERNSTEIN, P.L.C.

Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17, including any required extension of time fees in any concurrent or future reply requiring a petition for extension of time for its timely submission (37 CFR 1.136(a)(3))

Charge the Issue Fee Set in 37 CFR 1.18 at the Mailing of the Notice of Allowance, 37 CFR 1.311(b)

2.  Payment Enclosed:

Check  Money Order  Other

**FEE CALCULATION (fees effective 11/13/99)**

## 1. FILING FEE

Large Entity Fee Code (\$)	Entity Fee	Small Entity Fee Code (\$)	Entity Fee	Fee Description	Fee Paid
101	690	201	345	Utility filing fee	690
106	310	206	155	Design filing fee	
107	480	207	240	Plant filing fee	
108	690	208	345	Reissue filing fee	
114	150	214	75	Provisional filing fee	
<b>SUBTOTAL (1) (\$)</b>		<b>690</b>			

## 2. CLAIMS

Total Claims	-20	Extra	Fee from below	Fee Paid
7	-20	0	x 18	0
Independent 2	-3	0	x 78	0

Claims  
Multiple Dependent Claims x 260 = 0

Large Entity Fee Code (\$)	Entity Fee	Small Entity Fee Code (\$)	Entity Fee	Fee Description
103	18	203	9	Claims in excess of 20
102	78	202	39	Independent claims in excess of 3
104	260	204	130	Multiple dependent claim
109	78	209	39	Reissue independent claims over original patent
110	18	210	9	Reissue claims in excess of 20 and over original patent
<b>SUBTOTAL (2) (\$)</b>		<b>0.00</b>		

## 3. ADDITIONAL FEES

Large Entity Fee Code (\$)	Entity Fee	Small Entity Fee Code (\$)	Entity Fee	Fee Description	Fee Paid
105	130	205	65	Surcharge - late filing fee or oath	
127	50	227	25	Surcharge - late provisional filing fee or cover sheet	
139	130	139	130	Non-English specification	
147	2,520	147	2,520	For filing a request for reexamination	
112	900*	112	900*	Requesting publication of SIR	
113	1,840*	113	1,840*	Prior to Examiner action	
115	110	215	55	Requesting publication of SIR after Examiner action	
116	380	216	190	Extension for response within 1st month	
117	870	217	435	Extension for response within 2nd month	
118	1,360	218	680	Extension for response within 3rd month	
128	1,850	228	925	Extension for response within 4th month	
119	300	219	150	Extension for response within 5th month	
120	300	220	150	Notice of Appeal	
121	260	221	130	Filing a brief in support of an appeal	
138	1,510	138	1,510	Request for oral hearing	
140	110	240	55	Petition to institute a public use proceeding	
141	1,210	241	605	Petition to revive unavoidably abandoned application	
142	1,210	242	605	Petition to revive unintentionally abandoned application	
143	430	243	215	Utility issue fee (or reissue)	
144	580	244	290	Design issue fee	
122	130	122	130	Plant issue fee	
123	50	123	50	Petitions to the Commissioner	
126	240	126	240	Petitions related to provisional applications	
581	40	581	40	Submission of IDS	
146	760	246	380	Recording each patent assignment per property (times number of properties)	40
149	760	249	380	Filing a submission after final rejection (37 CFR 1.129(a))	
<b>For each additional invention to be examined (37 CFR 1.129(b))</b>					

Other fee (specify) \_\_\_\_\_

Other fee (specify) \_\_\_\_\_

**SUBTOTAL (3) (\$)** **40**

\*Reduced by Basic Filing Fee paid

## SUBMITTED BY

Complete (if applicable)

Typed or Printed Name

Bruce H. Bernstein

Reg. Number

29,027

Signature



Deposit Account User ID

# DIGITAL CAMERA HAVING A TILTING/SWINGING MECHANISM

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

5 The present invention relates to a digital camera provided with a tilting/swinging mechanism.

### 2. Description of the Related Art

In conventional tilting/swinging photography with a camera using sensitive film, the photographic lens is moved 10 (tilted or swung) relative to the camera body in which the sensitive film is fixedly positioned. More specifically, conventional tilting/swinging photography with a camera using sensitive film is known for being able to sharply focus entirely on a surface of an object which is inclined 15 to a plane orthogonal to the optical axis of the photographic lens by tilting or swinging the optical axis of the photographic lens relative to the direction normal to the film plane. In theory, the camera can be sharply focused entirely on a surface of an object which is inclined 20 to a plane orthogonal to the optical axis of the photographic lens by making the extended surface of the film surface, the extended surface of the object surface, and the extended surface of a lens surface intersect one another along a straight line, according to the Scheimpflug 25 principle.

In such conventional tilting/swinging photography, it is necessary to use a complicated mechanism for tilting or swinging the lens mount plate to which the photographic lens is fixed relative to the camera body, which inevitably 5 increases the size of the camera body. In the case of performing the tilting/swinging photography with a digital camera, if the tilting/swinging mechanism designed for a camera using sensitive film is applied to the digital camera, the image plane tends to move largely relative to 10 the sensitive surface of the image pick-up device (e.g., a CCD) of the digital camera, because the image pick-up device is generally smaller than a film surface (the sensitive surface of a film frame).

15 SUMMARY OF THE INVENTION

It is an object of the present invention to provide a digital camera having a simple tilting/swinging mechanism which does not increase the size of the camera body, and makes it possible to perform tilting/swinging 20 photography with little movement of the image plane relative to the sensitive surface of the image pick-up device of the digital camera.

To achieve the object mentioned above, according to the present invention, a digital camera is provided, 25 including a photographic lens that is provided on a camera

body of the digital camera so that an optical axis of the photographic lens is stationary with respect to the camera body; an image pick-up element on which an image of an object formed by the photographic lens, is impinged; and

5 a tilting/swinging mechanism, provided in the camera body, wherein the tilting/swinging mechanism can cause a tilting or (and) swinging movement of the image pick-up element relative to a plane orthogonal to the optical axis.

Preferably, the tilting/swinging mechanism is

10 designed so that the image pick-up element can be operated to rotate about a point of intersection between the optical axis and a sensitive surface of the image pick-up element.

In an embodiment, the tilting/swinging mechanism includes a mount to which the image pick-up element is fixed,

15 the mount having a convex surface; and a base fixed to the camera body, the base having a concave surface having a radius of curvature corresponding to a radius of curvature of the convex surface. The mount is mounted on the base with the convex surface being slidable on the concave

20 surface. Preferably, the tilting/swinging mechanism further includes an operation member which is fixed to the mount so that the mount can be moved relative to the base by operating the operation member.

In an embodiment, the tilting/swinging mechanism

25 includes a mount to which the image pick-up element is fixed,

the mount having a convex spherical surface having a center coincident with a point of intersection between the optical axis and a sensitive surface of the image pick-up element; and a base fixed to the camera body, the base having a 5 concave spherical surface having a radius of curvature corresponding to a radius of curvature of the convex spherical surface. A sliding movement of the convex spherical surface on the concave spherical surface causes the image pick-up element to rotate about the point of 10 intersection. Preferably, an operation member is provided, which is fixed to the mount so that the mount can be moved relative to the base by operating the operation member.

According to another aspect of the present invention, 15 a digital camera is provided, having a photographic lens and an image pick-up element, the photographic lens being provided on a camera body of the digital camera so that an optical axis of the photographic lens is stationary with respect to the camera body, an image of an object to be 20 photographed being impinged on the image pick-up element through the photographic lens, the digital camera includes a tilting/swinging mechanism, provided in the camera body, wherein the tilting/swinging mechanism can cause a tilting or (and) swinging movement of a sensitive surface of the 25 image pick-up element relative to a plane orthogonal to

the optical axis. The tilting/swinging mechanism includes a movable member to which the image pick-up element is fixed, and a stationary member to which the movable member is connected so that the movable member can 5 move relative to the stationary member so as to tilt or swing the image pick-up element relative to the plane.

The present disclosure relates to subject matter contained in Japanese Patent Application No.11-266542 (filed on September 21, 1999) which is expressly 10 incorporated herein by reference in its entirety.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be discussed below in detail with reference to the accompanying drawings, in which:

15 Figure 1 is a perspective view of fundamental elements, which support an image pick-up device, of an embodiment of a tilting/swinging mechanism according to the present invention;

Figure 2 is a schematic sectional view of a digital 20 camera having the tilting/swinging mechanism shown in Figure 1, taken along the line II-II in Figure 1; and

Figure 3 is a block diagram of an image pick-up system of the digital camera shown in Figure 2.

25 DESCRIPTION OF THE PREFERRED EMBODIMENT

An embodiment of a digital camera according to the present invention is provided with an image pick-up system shown in Figure 3. As shown in Fig. 3, this system includes an image pick-up element (e.g., a CCD) 11, a photographic lens 18, an LCD viewfinder 21, a recording medium (e.g., an internal memory) 22, an operation switch 23 and a system control circuit 24. An object image is focused on the sensitive surface of the image pick-up element 11 through the photographic lens 18. The image pick-up element 11 converts the object image focused on the sensitive surface thereof into a picture signal. In accordance with an operation of the operation switch 23, the system control circuit 24 selects either a finder mode, in which the picture signal is viewed through the LCD viewfinder 21, or a photographing mode, in which the picture signal is recorded in the recording medium 22.

Fig. 2 is a schematic sectional view of a digital camera of the present embodiment according to the present invention. The digital camera is not provided with a mechanism for tilting or swinging the photographic lens 18 relative to the camera body 10. The photographic lens 18 is supported by the camera body 10 so that the optical axis 20 of the photographic lens 18 is stationary with respect to the camera body 10.

The image pick-up element 11, which is positioned

behind the photographic lens 18 (below the photographic lens 18 as viewed in Fig. 2), is fixed to a front face (top face as viewed in Fig., 2) of a mount (movable member) 12 at a position where an image formed through the 5 photographic lens 18 is focused on the sensitive surface 19 of the image pick-up element 11. The image obtained through the image pick-up element 11 can be seen through the LCD viewfinder 21.

The mount 12 is provided on the rear face thereof with 10 a convex spherical surface 13 having a center coincident with the intersection between the optical axis 20 and the sensitive surface 19 of the image pick-up element 11. The convex spherical surface 13 has a radius of curvature "R" as shown in Fig. 2. The mount 12 is mounted on a base 15 (stationary member) 14 fixed to the camera body 10. The base 14 is provided on the front face thereof with a concave spherical surface 15 whose radius of curvature is identical to that of the convex spherical surface 13. Accordingly, the mount 12 is mounted on the base 14 with the convex 20 spherical surface 13 being slidable on the concave spherical surface 15.

Fig. 1 is a perspective view of the image pick-up element 11, the mount 12 and the base 14 on which the mount 25 is mounted to be slidable thereon, showing the positional relationship amount the image pick-up element

11, the mount 12 and the base 14. The mount 12 is slidably mounted on the base 14 so as not to come off the base 14 by attracting the mount 12 on the base 14 by, for example, magnetic or spring force. The rear face of the base 14 is secured to the camera body 10. As can be seen in Fig. 5 2, a through hole 16 is formed between the base 14 and the camera body 10 to extend rearward from the concave spherical surface 15 to the outside of the camera body 10. The mount 12 is provided with an operation stick (operation 10 member) 17 which extends rearward from substantially the center of the convex spherical surface 13 to project to the outside of the camera body 10 via the through hole 16. The mount 12 can be moved (tilted and/or swung) relative to the camera body 10 by operating the operation stick 17 15 from the outside of the camera body 10. The mount 12, the base 14 and the operation stick 17 constitute a tilting/swinging mechanism.

Upon a photographic operation, first of all the user views the object through the LCD viewfinder 21. When it 20 is necessary to carry out the tilting/swinging operation so as to adjust perspective and depth of field, the user operates the operation stick 17 to tilt the sensitive surface 19 of the image pick up element 11 relative to the optical axis 20 horizontally and/or vertically while 25 viewing the object through the LCD viewfinder 21. During

this tilting/swinging operation, the sensitive surface 19 of the image pick-up element 11 rotates about the center of the sensitive surface 19, namely, tilts relative to a plane orthogonal to the optical axis 20 without varying 5 the position of the center of the sensitive surface 19 relative to the camera body 10. Therefore, the image pick-up element 11 can be tilted relative to the optical axis 20 horizontally and vertically without varying the position of the point of intersection between the optical 10 axis 20 and the sensitive surface 19 of the image pick-up element 11. After this tilting/swinging operation is completed, a picture is taken in a photographing mode, which is selected via the operation switch 23.

In the illustrated embodiment, although the mount 12 15 is provided with a spherical surface (the convex spherical surface 13) while the base 14 is provided with a corresponding spherical surface (the concave spherical surface 15) so that the image pick-up element 11 can tilt to various angles without varying the position of the 20 center of the sensitive surface 19 relative to the camera body 10, the present invention is not limited solely to this particular embodiment. For instance, the mount 12 can be provided with a cylindrical surface (e.g., a convex cylindrical surface) while the base 14 can be provided with 25 a corresponding cylindrical surface (e.g., a concave

cylindrical surface) so that the image pick-up element 11 can tilt either only horizontally (i.e., swing) or only vertically (i.e., tilt) without varying the position of the center of the sensitive surface 19 relative to the 5 camera body 10.

As can be understood from the foregoing, according to a digital camera having a tilting/swinging mechanism to which the present invention is applied, a tilting/swinging mechanism having a simple structure can 10 be obtained.

Obvious changes may be made in the specific embodiment of the present invention described herein, such modifications being within the spirit and scope of the invention claimed. It is indicated that all matter 15 contained herein is illustrative and does not limit the scope of the present invention.

What is claimed is:

1. A digital camera comprising:

a photographic lens that is provided on a camera body  
of said digital camera so that an optical axis of said  
5 photographic lens is stationary with respect to said camera  
body;

an image pick-up element on which an image of an  
object formed by said photographic lens is impinged; and

10 a tilting/swinging mechanism provided in said camera  
body, wherein said tilting/swinging mechanism can cause  
at least one of tilting and swinging movement of said image  
pick-up element relative to a plane orthogonal to said  
optical axis.

2. The digital camera according to claim 1, wherein  
15 said tilting/swinging mechanism is designed so that said  
image pick-up element can be operated to rotate about a  
point of intersection between said optical axis and a  
sensitive surface of said image pick-up element.

3. The digital camera according to claim 1, wherein  
20 said tilting/swinging mechanism comprises:

a mount to which said image pick-up element is fixed,  
said mount comprising a convex surface; and  
a base fixed to said camera body, said base comprising  
25 a concave surface having a radius of curvature  
corresponding to a radius of curvature of said convex

surface,

wherein said mount is mounted on said base with said convex surface being slidable on said concave surface.

4. The digital camera according to claim 3, wherein  
5 said tilting/swinging mechanism further comprises an operation member which is fixed to said mount so that said mount can be moved relative to said base by operating said operation member.

5. The digital camera according to claim 1, wherein  
10 said tilting/swinging mechanism comprises:

a mount to which said image pick-up element is fixed, said mount comprising a convex spherical surface having a center coincident with a point of intersection between said optical axis and a sensitive surface of said image  
15 pick-up element; and

a base fixed to said camera body, said base comprising a concave spherical surface having a radius of curvature corresponding to a radius of curvature of said convex spherical surface,

20 wherein a sliding movement of said convex spherical surface on said concave spherical surface causes said image pick-up element to rotate about said point of intersection.

6. The digital camera according to claim 5, further comprising an operation member which is fixed to said mount  
25 so that said mount can be moved relative to said base by

operating said operation member.

7. A digital camera having a photographic lens and an image pick-up element, said photographic lens being provided on a camera body of said digital camera so that 5 an optical axis of said photographic lens is stationary with respect to said camera body, an image of an object to be photographed being impinged on said image pick-up element through said photographic lens, said digital camera comprising:

10 a tilting/swinging mechanism provided in said camera body, wherein said tilting/swinging mechanism can cause at least one of tilting and swinging movement of a sensitive surface of said image pick-up element relative to a plane orthogonal to said optical axis,

15 wherein said tilting/swinging mechanism comprises: a movable member to which said image pick-up element is fixed; and a stationary member to which said movable member is connected so that said movable member can move relative to said stationary member so as to at least one of tilt and swing said image pick-up element relative to said 20 plane.

DIGITAL CAMERA HAVING A TILTING/SWINGING MECHANISM

ABSTRACT OF THE DISCLOSURE

A digital camera includes a photographic lens that is  
5 provided on a camera body of the digital camera so that  
an optical axis of the photographic lens is stationary with  
respect to the camera body; an image pick-up element on  
which an image of an object to be photographed, which is  
formed through the photographic lens, is impinged; and a  
10 tilting/swinging mechanism, provided in the camera body,  
for tilting and/or swinging the image pick-up element  
relative to a plane orthogonal to the optical axis.

Fig. 1




Fig. 2





Fig. 3



# Declaration and Power of Attorney For Utility or Design Patent Application

## 特許出願宣言書

### Japanese Language Declaration

私は、下欄に氏名を記載した発明者として、以下のとおり  
宣言する：

私の住所、郵便の宛先および国籍は、下欄に氏名に統いて記載したとおり  
であり、

名称の発明に關し、請求の範囲に記載した特許を求める主題の本来の、  
最初にして唯一の発明者である(一人の氏名のみが下欄に記載されている  
場合)か、もしくは本来の、最初にして共同の発明者である(複数の氏名が  
下欄に記載されている場合)と信じ、

その明細書を

(該当するほうに印を付す)

ここに添付する。

\_\_\_\_\_ 日に出願番号

第\_\_\_\_\_号として提出し、

日に補正した。

(該当する場合)

私は、前記のとおり補正した請求の範囲を含む前記明細書の内容を検討し、理解したことを陳述する。

私は、連邦規則法典第37部第1章第56条に従い、本題の審査に所要の情報を開示すべき義務を有することを認める。

私は合衆国法典第35部第119条(a-d)項又は第365条(b)項に基づく、下記の外国特許出願又は発明者証出願、或いは第365条(a)項に基づく、少なくとも米国以外の1ヶ国を指名したPCT国際出願の外国優先権利益を主張し、更に優先権の主張に係わる基礎出願の出願日前の出願日を有する外国特許出願、又は発明者証出願或いはPCT国際出願を以下に明記する：

#### Prior foreign applications

#### 先の外国出願

<u>11-266542 (P)</u>	<u>JAPAN</u>	<u>21/09/1999</u>
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願の年月日)
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願の年月日)

#### Priority claimed

#### 優先権の主張

<input checked="" type="checkbox"/>	<input type="checkbox"/>
Yes あり	No なし
<input type="checkbox"/>	<input checked="" type="checkbox"/>
Yes あり	No なし
<input type="checkbox"/>	<input checked="" type="checkbox"/>
Yes あり	No なし

## Japanese Language Utility or Design Patent Application Declaration

その他の外国特許出願番号は別紙の追補優先権欄にて記載する。

Additional foreign application numbers are listed on a supplemental priority sheet attached hereto.

私は、合衆国法典第35部第119条(e)項に基づく、下記の合衆国仮特許出願の利益を主張する。

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

(Number) (番号)	(Day/Month/Year Filed) 出願の年月日
(Number) (番号)	(Day/Month/Year Filed) 出願の年月日
(Number) (番号)	(Day/Month/Year Filed) 出願の年月日

その他の合衆国仮特許出願番号は別紙の追補優先権欄にて記載する。

Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.

私は、合衆国法典第35部第120条に基づく下記の合衆国特許出願、又は第365条(c)項に基づく合衆国を指名したPCT国際出願の利益を主張し、本願の請求の範囲各項に記載の主題が合衆国法典第35部第112条第1項規定の態様で、先の合衆国特許出願又はPCT国際出願に開示されていない限度において、先の出願の出願日と本願の国内出願日又はPCT国際出願日の間に有効となった連邦規則法典第37部第1章第56条に記載の特許要件に所要の情報を開示すべき義務を有することを認める。

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

(Application No.) (出願番号)	(Day/Month/Year Filed) (出願の年月日)	(現況) (特許済み、係属中 放棄済み)	(Status) (patented, pending, abandoned)
(Application No.) (出願番号)	(Day/Month/Year Filed) (出願の年月日)	(現況) (特許済み、係属中 放棄済み)	(Status) (patented, pending, abandoned)

その他の合衆国又は国際特許出願番号は別紙の追補優先権欄にて記載する。

Additional U.S. or international application numbers are listed on a supplemental priority sheet attached hereto.

私は、ここに自己の知識にもとづいて行った陳述がすべて真実であり、自己の有する情報および信ずるところに従って行った陳述が真実であると信じ、さらに故意に虚偽の陳述等を行った場合、合衆国法典第18部第1001条により、罰金もしくは禁錮に処せられるか、またはこれらの刑が併科され、またかかる故意による虚偽による陳述が本願ないし本願に対して付与される特許の有効性を損なうことがあることを認識して、以上の陳述を行ったことを宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

私、下記署名者は、ここに記載の米国弁護士または代理人に本出願に関し特許商標庁にて取られるいかなる行為に関して、同米国弁護士又は代理人が、私に直接連絡なしに私の外国弁護士或るいは法人代表者からの指示を受け取り、それに従うようここに委任する。この指示を出す者が変更の場合には、ここに記載の米国弁護士又は代理人にその旨通知される。

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from either his foreign patent agent or corporate representative, if any, as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

## Japanese Language Utility or Design Patent Application Declaration

委任状： 私は、下記発明者として、下記に明記された顧客番号を伴う以下の弁護士又は、代理人をここに選任し、本順の手続きを遂行すること並びにこれに関する一切の行為を特許商標庁に対して行うことを委任する。そして全ての通信はこの顧客番号宛に発送される。

顧客番号 7055

現在選任された弁護士は下記の通りである。

Neil F. Greenblum	Reg. No. 28,394
Bruce H. Bernstein	Reg. No. 29,027
Roger P. Glass	Reg. No. 30,841
James L. Rowland	Reg. No. 32,674
Arnold Turk	Reg. No. 33,094

Address: **GREENBLUM & BERNSTEIN, P.L.C.**

1941 ROLAND CLARKE PLACE  
RESTON, VA 20191

POWER OF ATTORNEY: As a named inventor, I hereby appoint the attorney(s) and/or agent(s) associated with the Customer Number provided below to prosecute this application and transact all business in the Patent and Trademark Office connected therewith, and direct that all correspondence be addressed to that Customer Number:

**CUSTOMER NUMBER 7055**

The appointed attorneys presently include:

直接電話連絡先：(名称および電話番号)

Direct Telephone Calls to: (name and telephone number)

**GREENBLUM & BERNSTEIN, P.L.C.**

(703) 716-1191

唯一のまたは第一の発明者の氏名	Full name of sole or first inventor <b>Tetsuji SHONO</b>	
同発明者の署名	日付	Inventor's signature <i>Tetsuji Shono</i> Sep. 18, 2000
住所	Residence <u>Saitama, Japan</u>	
国籍	Citizenship <u>Japan</u>	
郵便の宛先	Post Office Address <u>c/o ASAHI KOGAKU KOGYO KABUSHIKI KAISHA, 36-9, Maenohochome 2-chome, Itabashi-ku, Tokyo, Japan</u>	
第2の共同発明者の氏名（該当する場合）	Full name of second joint inventor, if any	
同第2共同発明者の署名	日付	Second Inventor's signature Date
住所	Residence	
国籍	Citizenship	
郵便の宛先	Post Office Address	

(第六またはそれ以降の共同発明者に対しても同様な情報  
および署名を提供すること。)

(Supply similar information and signature for third and  
subsequent joint inventors.)